

Lineup 2006



General distributor Shark Marine GmbH
www.sharkmarine.net
info@sharkmarine.net
All rights reserved

www.ekmarine.ru
info@ekmarine.ru

EK MARINE

HITEK 65



Specifications

Overall length, m	6,80
Extreme breadth, m	2,47
Transom deadrise, deg	21
Transom height, mm	635
Weight without engine and fuel, kg	650
Load capacity, kg	1000
Compartments, pcs	5
Maximum engine power, kW/HP	125/170
People on board, seats	8
CE category	B



Integration

- Stern sofa with locker
- Steering column with thwart-locker
- Thwart-locker for a driver
- PVC (polyvinylchloride) tubes
- Steering system (mechanical)
- Fuel tank (135 l)
- Electrical equipment
- Automatic drainage pump
- Folding ladder
- Plastic radar arch
- Pillow set
- Foot-operated board pump



Optional equipment

- Steel radar arch
- Steering system (hydraulic)
- Boat cover
- Tick-covered deck
- Trailer
- HYPALON® tubes
- Audio equipment
- Auxiliary fuel tank (135 l)
- Furnace
- Searchlight
- Water tank (60 l)
- Shower equipment
- Sun awning

Other options and equipment are available by request.

Check our website for complete list of standard and optional equipment.




HITEK 65



Specifications

Overall length, m	6,80
Extreme breadth, m	2,65
Transom deadrise, deg	21
Weight without engine and fuel, kg	700
Load capacity, kg	950
Compartments, pcs	5
Maximum engine power, kW/HP	125/170
People on board, seats	8
CE category	B



Integration

- Stern sofa with locker
- Steering column with thwart-locker
- PVC (polyvinylchloride) tubes
- Steering system (mechanical)
- Fuel tank (135 l)
- Electrical equipment
- Swimming area with folding ladder
- Automatic drainage pump
- Steel radar arch
- Pillow set
- Foot-operated board pump
- Auxiliary lockers on the deck

Optional equipment


- Boat cover
- Tick-covered deck
- Trailer
- HYPALON® tubes
- Audio equipment
- Auxiliary fuel tank (135 l)
- Furnace
- Searchlight
- Alarm loud-speaker system
- Water tank (60 l)
- Shower equipment
- Sun awning

Other options and equipment are available by request.

Check our website for complete list of standard and optional equipment.



HITEK 75



Specifications

Overall length, m	7,58
Extreme breadth, m	2,65
Transom deadrise, deg	21
Transom height, mm	635
Weight without engine and fuel, kg	810
Load capacity, kg	1290
Compartments, pcs	5
Maximum engine power, kW/HP	170/230
People on board, seats	10
CE category	B



Integration

- Stern sofa with locker
- Steering column with thwart-locker
- Thwart-locker for a driver
- PVC (polyvinylchloride) tubes
- Steering system (hydraulic)
- Fuel tank (200 l)
- Electrical equipment
- Automatic drainage pump
- Folding ladder
- Plastic radar arch
- Pillow set
- Foot-operated board pump
- Bar for water-skier towage

Optional equipment

- Steel radar arch
- Boat cover
- Tick-covered deck
- Trailer
- HYPALON® tubes
- Audio equipment
- Auxiliary fuel tank (200 l)
- Furnace
- Searchlight
- Water tank (60 l)
- Shower equipment
- Dry closet
- Sun awning

Other options and equipment are available by request.

Check our website for complete list of standard and optional equipment.



